


INFINITY: THE END POST

by Vignetinox



The anti-sinking plate improves the **stability** of the post in any direction and on any ground.



Closed and ergonomic profile post (100x50 mm), ideal for all mechanical working, anti-torsion in all directions.




The **exclusive bilateral gorge**, in addition to giving it an **exceptional resistance**, it hulls and protects all tensioning systems.



VIGNETINOX®

 *made in Italy since 1979*

INFINITY post by VIGNETINOX
Accessories for INFINITY post:




ART.88A-INFINITY

Long **tension compensator** for moveable catch wires.



ART.28-INFINITY

Single tension wire on **chain**.



ART.2/5

Roller 2/5 tension wire roller with lock for fized wire.



ART.40-INFINITY

Roller 40 tension wire for moveable catch wires.



ART.12-INFINITY

ART.12A-INFINITY

Hook for brace wire with **ART.2/5** for single wire and **hook for brace wire** for catch wires with **ART.40**.



ART.25BP-INFINITY

Wire spacers with hook **GANCIO-LIV-INFINITY**.

INFINITY





ART.66FAV-INFINITY

Hook for moveable catch wires,
with hook **GANCIO-LIV-INFINITY**.



ART.82D-INFINITY

Sliding tensioner guide with spring for
moveable catch wires.



ART-TFO-DYN-INF

Sliding tensioner guide for
moveable catch wires.



TRAV-DYN-INFINITY

Horizontal brace post for end post.



PLATE-INFINITY

Anti-sinking plate.


INFINITY post resistance:



Video of
testing post
INFINITY.



INFINITY post by VIGNETINOX



| | | |
|--|--|-----------|
| height | 2300 mm (Free Cordon), 2500 mm, 2750 mm, 3000 mm | |
| material / coating | thickness | weight |
| COR-TEN PRE-GALVANIZED STAINLESS STEEL | 1,5 mm | 3,2 kg/m |
| | 2 mm | 4,2 kg/m |
| HOT DIP GALVANIZED | 1,65 mm | 3,4 kg/m |
| | 2,15 mm | 4,45 kg/m |

Possibility of customization on request.



INFINITY-4321-ENG-ott